





DRUM SPILL PALLETS



ROMOLD DRUM SPILL PALLETS



DRUM SPILL PALLETS

POLYETHYLENE PALLETS

- All sumps hold 110% of the total stored or 25% of the combined total stored (whichever is greater).
- All models have removable grids for easy access when the sump needs cleaning.
- All models are covered by the Romold® 3 year guarantee.



Read our Polyethylene Chemical Compatibility Guide on PAGE 47



BP1



BP2

BP2FW



BP2R



MANUFACTURED FROM RECYCLED POLYETHYLENE



BP3

Updated grid structure for improved durability



CODE	SIZE (LxWxH)	DIBt APPROVAL	SUMP CAPACITY	POLY MESH FLOOR	WEIGHT
BP1	900 x 700 x 525mm	Y	225ltr	Standard	22kg
BP2	1220 x 820 x 330mm	Y	240ltr	Standard	23kg
BP2FW	1220 x 820 x 450mm	Y	230ltr	Standard	27kg
BP2R	1220 x 820 x 330mm	N	240ltr	Standard	23kg
BP3	1785 x 780 x 240mm	N	228ltr	Standard	30kg



BP4L




BP4FW

BP4FW has fork lift access from all four sides



BFR4



For use with drum spill pallet BP4FW



BP4LR

MANUFACTURED FROM RECYCLED POLYETHYLENE



BP4L and BP4LR are only 275mm high for easier loading and unloading



BP4



CODE	SIZE (LxWxH)	DIBt APPROVAL	SUMP CAPACITY	POLY MESH FLOOR	WEIGHT
BP4	1310 x 1310 x 370mm	Y	410ltr	Standard	44kg
BP4L	1280 x 1285 x 275mm	Y	230ltr	Standard	29kg
BP4FW	1220 x 1220 x 390mm	Y	250ltr	Standard	40kg
CODE	SIZE (LxWxH)	DIBt APPROVAL	SUMP CAPACITY	WEIGHT	
BP4LR	1280 x 1285 x 275mm	N	230ltr	29kg	
CODE	SIZE (LxWxH)	UDL		WEIGHT	
BFR3	1740 x 1000 x 275mm	1000kg		33kg	
BFR4	1740 x 1000 x 390mm	1000kg		36kg	




DRUM SPILL PALLETS

BP8C



BP4XL



BP8



All sumps hold 110% of the total stored or 25% of the combined total stored (whichever is greater)

All models have removable grids for easy access when the sump needs cleaning

Model BP8FW has fork lift access from all four sides

BP8FW



CODE	SIZE (LxWxH)	DIBt APPROVAL	SUMP CAPACITY	POLY MESH FLOOR	WEIGHT
BP4XL	1220 x 1220 x 495mm	N	440ltr	Standard	42kg
BP8	2560 x 1350 x 510mm	Y	1140ltr	Standard	116kg
BP8C	2560 x 1350 x 2140mm	N	1140ltr	Standard	156kg
BP8FW	2340 x 1225 x 610mm	Y	1150ltr	Standard	91kg



For use with BP2HCH,
BP4 and BP4HC

BFR5



BP2HC

BP2HC is for use with up to 2 x 205ltr drums while BP2HCS is for the safe storage of smaller containers and comes complete with a small shelf unit



BP2HCS

BP4HCS has a fully powder coat painted (inside and out) steel cover which makes it extremely durable and provides excellent compatibility with most liquids

The hinged, lockable doors are fitted with door stays to hold them securely when loading and unloading



BP4C

A low cost solution when you need to store drums outdoors

BP4HC



BP4HCS



CODE	SIZE (LxWxH)	SUMP CAPACITY	POLY MESH FLOOR	WEIGHT	
BP2HC	1490 x 990 x 1690mm	230ltr	Standard	85kg	
BP2HCH	1490 x 990 x 1690mm	230ltr	Standard	98kg	
BP4C	1415 x 1310 x 1870mm	410ltr	Standard	54kg	
BP4HC	1470 x 1420 x 2070mm	410ltr	Standard	121kg	
CODE	SIZE (LxWxH)	UDL	POLY MESH FLOOR	WEIGHT	
BFR5	1740 x 1000 x 370mm	1000kg	-	38kg	
CODE	SIZE (LxWxH)	DOOR APERTURE (HxW)	SUMP CAPACITY	WEIGHT	UDL
BP2HCS	1490 x 990 x 1690mm	1045 x 1335mm	230ltr	90kg	650kg
BP4HCS	1480 x 1385 x 1865mm	1390 x 1225mm	410ltr	221kg	1250kg



DRUM SPILL PALLETS

GALVANISED PALLETS

- Robust galvanised steel for use when you have compatibility issues with polyethylene.
- Ideal for use in areas where heat might be an issue, such as in foundries and for when you have to load and unload the spill pallet on numerous occasions a day.
- Fork hoops keep the underside of the sump out of contact with the floor and make it easy for the forklift truck to lift and transport the unit (should never be moved with drums in situ).



IDEAL FOR:

- FOOD INDUSTRY
- EQUESTRIAN
- AGRI-INDUSTRIES
- FACILITIES MANAGEMENT
- CONSTRUCTION INDUSTRY
- CHEMICAL INDUSTRY

GSP2D



GSP4D



Galvanised removable deck to allow easy cleaning of the sump area.

CODE	SIZE (LxWxH)	SUMP CAPACITY	UDL	WEIGHT
GSP2D	1220 x 815 x 393mm	226ltr	600kg	51kg
GSP4D	1220 x 1220 x 463mm	440ltr	900kg	82kg



GUIDES & MORE







FORKLIFT POCKET DIMENSIONS

At Romold, we aim to make your job as simple as possible. As an international supplier of spill pallets, we appreciate that forklift access pocket dimensions across the globe differ.


This handy guide provides the information you need to ensure your customers get the correct spill pallet to suit their fork lift or pallet truck.




BP2




BP4




BP4L




BB1




BB2




FW




BB1D




BP4XL




GRITBIN



PSB1



PSB2



PSB3

Please note: the FW measurements refer to models BP2FW, BP4FW, BP8FW, BB1FW and BB2FW.

POLYETHYLENE CHEMICAL COMPATIBILITY CHART



Acetaldehyde 40%	Butanol	Floosilic Acid	Methyl Amine 32%	Selenic Acid
Acetamide	Butyl Acetate	Formaldehyde 40%	Methyl Sulphate	Silicic Acid
Acetic Acid 10%	Butyl Alcohol	Formamide	Methyl Sulphuric Acid	Silver Nitrate
Acetone	Butylene Glycol	Formic Acid	Monochloroacetic Acid Ethyl Ester	Sodium Acetate sat.sol
Acrylonitrile	Butyric Acid	Fruit Pulp sol	Monnchloroacetic Acid Methyl Ester	Sodium Acrylates
Adipic Acid	Calcium Carbonate sat.sol	Furfural	Morpholin	Sodium Benzoate
Aliphatic Hydrocarbons	Calcium Chloride	Gallic Acid sat.so	MowliithD	Sodium Bicarbonate
Allyl Alcohol 96%	Calcium Hydroxide	Gluconic Acid	Muriatic Acid	Sodium Bisulphate sat.sol
Alum (aqu.sol)	Calcium Hypochlorite sol	Glycerine	Nickel Chloride sat.so	Sodium Bisulphite
Aluminium Chloride sat.sol	Calcium Nitrate 50%	Glycol	Nicotine Dilute	Sodium Bromide
Aluminium Fluoride	Calcium Sulphate sat.sol	Glycol Ethers	Nicotinic Acid	Sodium Carbonate
Aluminium Hydrogen sol 10%	Carbonic Acid (Aq.CO2)	Glycolic Acid	Nitric Acid 25%	Sodium Chlorate
Aluminium Hydroxide	Carbon Monoxide	Heptane	n-Octane	Sodium Chloride
Aluminium Sulphate sat.sol	Caustic (Aqueous)	Hexane	Octyl Cresol	Sodium Chromate
Ammonia (Anhydrous)	Caustic Potash Sol. 50%	Hexanel Tert	Oleic Acid	Sodium Disulphite
Ammonia (aqu.sol)	Caustic Soda Sol. 10%	Hydrazine Hydrate	Orthophosphoric Acid 50%	Sodium Dithionite 10%
Ammonia (100% Dry Gas)	Chloral Hydrate	Hydrosulphite 10%	Oxalic Acid	Sodium Ferricyanide
Ammonium Acetate	Chloroethanol	Hydroxylamine Sulphate	Paraffin Emulsions	Sodium Ferrocyanide sat.sol
Ammonium Bifluoride	Chloric Acid 10%	Hydrazine 35%	Paraffin Oil	Sodium Fluoride sat.sol
Ammonium Carbonate 50%	Chloroacetic Acid	Hydrazine Hydrochloride	Perchloric Acid 20%	Sodium Hydroxide Conc.
Ammonium Chloride	Chlorobenzene	Hydroiodic Acid	Phosphoric Acid 50%	Sodium Hypochlorite
Ammonium Hydrogen Fluoride 50%	Chrome Alum sat.sol	Hydrobromic Acid 50%	Phosphorous Yellow	Sodium Iodide
Ammonium Hydroxide	Chromic Acid sat.sol	Hydrocyanic Acid sat.sol	Phosphorous Pentoxide	Sodium Nitrate
Ammonium Metaphosphate sat.so	Citric Acid 25%	Hydrochloric Acid 36%	Phthalic Acid	Sodium Oxalate
Ammonium Nitrate sat.sol	Clorox Bleach	Hydrofluoric Acid 40%	Phthalic Anhydride	Sodium Persulphate
Ammonium Persulphate sat.so	Copper Cyanide	Hydrofluorsilicic Acid	Picric Acid 1%	Sodium Phosphate
Ammonium Phosphate	Copper Nitrate	Hydrogen Bromide 10%	Potash	Sodium Silicate
Ammonium Sulphide sat.sol	Copper Sulphate	Hydrogen Peroxide 20% Sulphates 50%	Potassium/Aluminum	Sodium Sulphate
Ammonium Thiocyanate sat.sol	Cresol 90%	Hydrogen Phosphide 100%	Potassium Bichromate	Sodium Sulphide
Amyl Acetate	Cresylic Acid	Hydrogen Sulphide	Potassium Borate 10%	Sodium Sulphonates
Amyl Alcohol	Crotonic Aldehyde	Hypochlorous Acid	Potassium Bromide	Sodium Thiosulphate
Antimony Salts	Cuprous Chloride sat.sol	Iodine (Alc. Sol.) Conc	Potassium Chlorate	Starch Solution sat.sol
Antimony Trichloride 90%	Cyclohexane	Iron (II) Chloride sat.sol	Potassium Chloride	Stearic Acid
Aqueous Alkalies (NaOH)	Cyclohexanol	Iron (II) Sulphate sat.sol	Potassium Chromate	Succinic Acid
Arsenic Acid	Dextrin sat.so	Iron (III) Chloride sat.sol	Potassium Cyanide	Sulphur
Asorbic Acid 10%	Dextrose sat.sol	Iron (III) Nitrate sat.sol	Potassium Dichromate 40%	Sulphuric Acid 50%
Barium Carbonate sat.sol	Diethyl Carbonate	Iron (III) Sulphate sat.sol	Potassium Fluoride	Tannic Acid sol
Barium Chloride	Disodium Phosphate	Isopropanol	Potassium Hydroxide	Tanning Extracts
Barium Cyanide	Diethylene Glycol	Isopropyl Acetate	Potassium Iodide	Tartaric Acid sat.sol
Barium Hydroxide sat.sol	Diglycolic Acid 30%	Isopropyl Alcohol	Potassium Nitrate sat.sol	Tetraethyl Lead
Barium Nitrate	Dioxane	Lactic Acid (All Conc)	Potassium Perborate sat.sol	Tributylprophate
Barium Sulphate sat.sol	Electrolyte	Lead Acetate sat.sol	Potassium Perchlorate	Tricresyl Phosphate
Barium Sulphide	Ethanol	Magnesium Carbonate	Potassium Permanganate	Triethanolamine
Battery Fluid, Acid	Ethylene Chlorohydrin	Magnesium Hydroxide	Potassium Persulphate sat.sol	Trisodium Phosphate sat.sol
Benzaldehyde	Magnesium Oxide	Magnesium Nitrate	Potassium Phosphates	Urea
Benzene Ethylene Diamine	Ethylene Glycol	Potassium Sulphate	Wetting Agents	White Acid 75%
Benzoic Acid	Ferric Chloride sat.sol	Magnesium Sulphate	Propanol	Yeast sol
Benzyl Alcohol	Ferric Nitrate sat.sol	Maleic Acid	Propargyl Alcohol 7%	Zinc Bromide sat.sol
Benzyl Chloroformate	Ferric Salts	Malic Acid 1%	Propionic Acid 50%	Zinc Chloride sat.sol
Boric Acid Dilute	Ferric Sulphate sat.sol	Mercury	Propyl Alcohol	Zinc Sulphate
Boric Acid Conc	Ferrous Sulphate	Methanol	Propylene Dichloride	
Butadiene	Fluoboric Acid	Methyl Acetate	Propylene Glycol	
Butanediol		Methyl Alcohol	Propylene Oxide	



TOP TEN BESTSELLERS



ST20
Page 24
Spill Tray - 22ltr sump



BP4L
Page 15
Low Profile Sump
Pallet - 230ltr sump



BB2
Page 9
Spill Pallet for 2 IBCs
- 1140ltr sump



BF2
Page 21
Sump Floor for 2
drums - 130ltr sump



BP2FW
Page 14
Sump Pallet for 2
drums with 4-way entry
- 230ltr sump




BP2
Page 14
Sump Pallet for 2 drums
- 240ltr sump



BP4LR
Page 15
Recycled Low Profile
Sump Pallet - 230ltr
sump



BP4FW
Page 15
Sump Pallet for 4 drums
with 4-way entry - 250ltr
sump



BF4
Page 21
Sump Floor for 4 drums
- 300ltr sump



BB1
Page 8
Sump Pallet for 1 IBC
- 1100ltr sump



ROMOLD

TO FIND OUT MORE



ROMOLD LTD[®]
specialist manufacturers of spill containment solutions



CONTACT YOUR LOCAL DISTRIBUTOR